


Innenköcher mit Trapezprofilierung, verzinkt, einbaufertig montiert, ausgesteift wenn erforderlich, auf Wunsch mit eingepunktetem Blechboden

Internal cut out casing with trapezoidal profile, galvanized, mounted ready to install, stiffened if necessary, with spotwelded base sheet on request



Standard-Abmessungen Seitenlänge 200 – 1200 mm*	Artikel-Nr.
gemäß Angabe – als Faltköcher	212000
gemäß Angabe – montiert	212010

^{*}größere Abmessungen auf Anfrage

Wichtig bei der Bestellung:

Bitte geben Sie die lichten Innen-Abmessungen in Milimetern an.

Wichtig bei der Planung der umliegenden Bügelbewehrung:

Die Außen-Abmessungen sind 40 mm größer als die Innen-Abmessungen.

Wichtig beim Einbau:

Auf einen sorgfältigen Verguss der Fuge zwischen Köcheranwandung und Fertigteil mit schwindfreiem Vergussmaterial ist peinlich genau zu achten!

Standard dimensions length of side 200 – 1200 mm*	Item No.
according to statement – as foldable casing	212000
according to statement – mounted	212010

^{*} bigger dimensions available on request

Important when ordering:

Please advise the clear internal measurements in millimeters.

Important when planning the surrounding stirrup reinforcement:

The external measurements are 40 mm more than the internal measurements.

Important when installing:

You have to ensure a careful grouting of the joint between casing wall and prefab part with non shrinking grouting material.